

## Noon

Sheer Curtain Fabric

*Opulent Living*



Designer: Patricia Urquiola

*Luxury designer decorative sheer curtain fabric*



Flame Retardant



Curtains

### Features

- Part of the Verosol Opulent Living Collection - Drapery fabrics developed to the highest quality standards
- Noon is soft, transparent and features subtle vertical stripes and has a natural look and texture
- As the light conditions change, the colour and structure of the curtains appear to change too. The mood they project changes throughout the course of the day. Noon features a colour palette of 12 neutral tones & some brighter shades
- Woven from 100% Polyester FR, Noon ensures soft drapability and easy care
- Noon is inherently flame retardant making it ideal for both residential and commercial applications
- Noon was designed by influential international designer Patricia Urquiola

### Cleaning and care

- Wash at max. 60°C, mild process, drip dry
- Do not bleach
- Do not tumble dry
- Iron at medium temperature (max. 150°C)
- Professional dry cleaning with tetrachloroethylene, normal process






For more information visit [verosol.com.au](https://verosol.com.au) or call 1800 721 404



Green Building  
Council Australia  
Member 2020-2021

# Noon

## Sheer Curtain Fabric

Fabric Density	Sheer	Weighted Hem - NO		
Composition	100% Polyester FR	Formaldehyde free	Formaldehyde free	
Weight	180g/lin mtr			
Width	3000mm	Continuous	Nominal roll size	35 linneal metres
Pattern	Solid			
Yarn type	Filament			
Binding	Plain			
Colour Fastness	Light [ISO 105-B02] 6 - 7			
Possible Shrinkage	1%			
Flame Retardancy [AS/NZS 1530.3-1999]	Ignitability Index	0	Range [0-20]	
	Spread of flame Index	0	Range [0-10]	
	Heat evolved Index	0	Range [0-10]	
	Smoke developed Index	2	Range [0-10]	
[International Standards]	BS 5867 Part 2 Type B	DIN 4102 B1   NF P 92 507 M1	EN 13 773 class 1   UNI 9177 Class 1	IMO FTP Code 2010:Part 7
Certification	Greenguard	EPD to EN15804	HPD 2.1	REACH
Aiflow Resistance [EN 29053]	Airflow Resistance of $R_g < 10$ Pa s/m			
Sound Absorption [EN ISO 354]	Report available upon request			
Designer	Patricia Urquiola			
Manufactured in	Turkey			
Cleaning	    			
Suitable Products	Curtains			

### Colour Range



Care:     